

# London 3

Serve-over counters / Semi-vertical ■ Remote



Serve-over counters



Semi-vertical



[www.arneg.it](http://www.arneg.it)



London 3 serve-over counters		Lunghezza senza spalle Length without ends	Temperatura di esercizio Working temperature	Superficie di esposizione orizzontale Horizontal display surface	Capacità utile Net volume
		mm	°C	m <sup>2</sup>	dm <sup>3</sup>
VDL-VDA-SELF	070	937	0°C/+2°C +2°C/+4°C	0,6	131
		1250		0,9	175
		1875		1,3	263
		2500		1,7	350
		3125		2,2	438
	3750	2,6		525	
	080	937		0,7	140
		1250		1,0	190
		1875		1,5	285
		2500		2,0	380
		3125		2,5	475
	3750	3,0		570	
	TST	1,5		285	
	083	937		0,9	160
		1250		1,0	215
		1875		1,5	322
2500		2,1	430		
3125		2,6	537		
3750	3,1	644			
090	937	0,8	169		
	1250	1,1	225		
	1875	1,7	338		
	2500	2,2	450		
	3125	2,8	563		
3750	3,4	675			
CK VDL-VDA	070	1250	+2°C/+4°C	0,9	162
		1875		1,3	243
		2500		1,7	324
	080	1250		1,0	186
		1875		1,5	279
		2500		2,0	372
090	1250	1,1	209		
	1875	1,7	313		
	2500	2,2	418		
TOP/SELF	090	1250	0°C/+2°C +2°C/+4°C	1,1	225
		1875		1,7	337
		2500		2,2	450
		3750		3,4	675
FH VDL-VDA-SELF	090	937	0°C/+2°C	0,7	83
		1250		1,0	111
		1875		1,5	166
		2500		2,0	222
		3125		2,5	278
3750	3,0	333			
BD VDL-VDA	090	1250	Ambient	1,0	113
		1875		1,5	170
		2500		2,0	226
		3750		3,0	340
BT VDL-VDA	090	1250	-18°C/-25°C	1,0	319
		1875		1,6	479
		2500		2,1	638
		3750		3,1	958
TCPW VDL-VDA	080	937	+65°C	0,4	*
	090	1250		0,5	
937		0,5			
TCBM VDL-VDA	090	1250		0,7	
		937		0,5	
TH	090	1250		0°C/+2°C	
		1250	+2°C/+4°C	1,6	244
TH TCPW		1250	+65°C	0,9	*
ATB		1250	+2°C/+4°C	1,0	665


\* Il dato varia in funzione della quantità e del tipo di contenitori Gastronorm utilizzati, This data may vary depending on the number and type of Gastronorm trays, Die Zahl variiert je nach Menge und Art von Gastronorm Behältern, Le chiffre varie selon la quantité et le type de bacs GN utilisés, La cifra varía dependiendo de la cantidad y tipo de recipientes Gastronorm utilizados, Показатель варьируется в зависимости от количества и типа используемых гастроемкостей




**VDL**




**VDA**




**070 VDL-VDA**




**080 VDL-VDA**




**083 VDA-VDL**




**090 VDL-VDA**




**070 SELF**




**080 SELF**




**083 SELF**




**090 SELF**




**070 VDL-VDA CK**




**080 VDL-VDA CK**




**090 VDL-VDA CK**




**090 TOP/SELF**




**090 VDL-VDA FH**




**090 SELF FH**




**070 VDL-VDA BD**




**090 VDL-VDA BD**




**VDL-VDA BT**




**080 VDL-VDA TCPW**




**090 VDL-VDA TCPW**




**090 VDL-VDA TCBM**



**TH**



**TH TCPW**



**ATB**




**LEARN MORE**


# London 3 semi-vertical

		Lunghezza senza spalle Length without ends	Temperatura di esercizio Working temperature	Superficie di esposizione orizzontale Horizontal display surface	Capacità utile Net volume	
		mm	°C	m <sup>2</sup>	dm <sup>3</sup>	
H114	080	1250	0°C/+2°C +2°C/+4°C	1,5	400	
		1875		2,2	600	
		2500		3,0	800	
	090	2500		3,2	860	
		3125		4,0	1074	
		3750		4,8	1289	
H125		080		1250	1,5	435
				1875	2,2	653
				2500	3,0	870
	090	3750		4,4	1304	
		TST		2,2	707	
		1250		1,6	471	
1875		2,4		707		
2500		3,2		942		
3125		4,0		1178		
H150	080	3750		4,8	1414	
		TST		2,4	707	
		2500		3,7	1160	
	090	3125	4,6	1450		
		3750	5,5	1740		
		937	1,7	470		
		1250	2,2	627		
		1875	3,4	940		
		2500	4,5	1254		
		3125	5,6	1567		
		3750	6,7	1880		
		TST	3,3	940		
H160	090	1250	2,2	677		
		1875	3,4	1015		
		2500	4,5	1354		
		3750	6,7	2030		


19/02/2019




080 H114




080 H125




080 H150




090 H114



090 H125



090 H150



090 H160



LEARN MORE

Contenuto modificabile senza preavviso. Content can be changed without notice.



ITALIA

www.arneg.it

